Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	440	(215/235).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 17:53
S2	22	(("3,263,850") or ("3,893,583") or ("4, 301,937") or ("5,096,083") or ("5,143, 234") or ("5,145,080") or ("5.690, 242") or ("5,699,922") or ("5,988, 412") or ("5,992,656") or ("6,431, 381")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 15:16
S3	117	("0133518"   "0563667"   "0911485"   "0929485"   "1459589"   "1499612"   "1516046"   "1669579"   "1849523"   "1858163"   "2045388"   "2063157"   "2072873"   "2153426"   "2168594"   "2264792"   "2423295"   "2733052"   "2822104"   "3101856"   "3110410"   "3339773"   "3435978"   "3511403"   "3612324"   "3716161"   "3805987"   "3809276"   "3831797"   "3910444"   "3951289"   "3954200"   "3973941"   "3993208"   "4007848"   "4036385"   "4068775"   "4093096"   "4098419"   "4127221"   "4134513"   "4144983"   "4177904"   "4271974"   "4273248"   "4280632"   "4289248"   "4310101"   "4365721"   "4387821"   "4387822"   "4454965"   "4456136"   "4519518"   "4597501"   "4638918"   "4645096"   "4662530"   "4669624"   "4691833"   "4747498"   "4763801"   "4763804"   "4770308"   "4781311"   "4799597"   "4821899"   "4858777"   "4913299"   "4940168"   "4991733"   "5133471"   "5141347"   "5143234"   "5145080"   "5150803"   "5160057"   "5184741"   "5186344"   "5213225"   "5279434"   "5292020"   "5411157"   "5454476"   "5533633"   "5588545"   "5676270"   "5769254"   "5803287"   "5806698"   "5944208"   "5984123"   "5992659"). PN. OR ("6431381").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/19 15:48
S4	1327587	(align or alignment or aligning or position\$4) same (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR;	OR	ON	2005/03/19 16:35
			EPO; JPO; DERWENT			

S5	107631	((align or alignment or aligning or position\$4) near5 (structure or means or element)) same (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/19 16:02
S6	1614	(stop near4 wall) and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:23
<b>S7</b>	115	(rib same (stop near4 wall)) and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/19 16:03
S8	320	(215/45).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 16:19
S9	378	(215/44).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 16:26
S10	253	(215/330).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 16:34
S11	130	(215/331).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 16:34
S12	4970	(positive near4 (orientation or position\$4)) same (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 13:05
S13	403	hinge\$4 same S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR ·	ON	2005/03/19 16:36
S14	11	(stop near4 wall) and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/19 16:36

S15	237	(hinge\$4 with (closure or cap or lid or cover)) same S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/19 16:36
S16	0	(snap near10 screw)with engagment	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 19:17
S17	0	(snap near10 screw) with engagment	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/19 19:16
S18	0	(snap near10 thread) with engagment	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 19:17
S19	3	(bead near10 thread\$3) with engagment	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 19:18
S20	603	adams.in. and snap	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/19 19:18
S21	26	adams.in. and (snap with thread)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 19:18
S22	2	("5054268").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 14:33
S23	2793	(stop near4 wall) with (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:35
S24	1	chord with S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:23
S25	204478	((stop or align\$6) chord) with (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:36

S26	41	((stop or align\$6) near8 chord) with (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:50
S27	307	((stop or align\$6) with chord) same (closure or cap or lid or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:51
S28	146	(rib or lug or lock) and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:58
S29	6	(215/330.ccls. or 215/331.ccls.) and chord	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/03 14:58
S30	299	(215/237).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 15:00
S31	34	("4289248"   "4487324"   "4533058"   "4625898"   "4629081"   "4662530"   "4718567"   "4723669"   "4793502"   "4821898"   "4838441").PN. OR ("5143234").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/03 15:34
S32	532	("3235117" "3817416" "3869057" "38 71545" "3877598" "3927784" "399190 4" "3994409" "4127221" "4131212" "4 378073" "4487324" "4533058" "45573 93" "4709823" "4711363" "4747498" " 4807768" "4821899" "4848612" "4860 907" "4892208" "4913299" "4919286"  "4934547" "4940167" "5123556" "51 63571" "5207783" "5215204" "526156 9" "5398829" "5588546" "5605240" "5 687866" "5740933" "5785209" "59926 59" "6481588" "6530493" "6550626")" .PN"	USPAT	OR	ON	2005/08/03 15:39
S33	1834	(222/556).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/08/03 15:49
S34	2	("4718567").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:14

				Γ		
S35	25	chord and 222/556.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:25
S36	330	chord and "222"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:35
S37	93	hinge\$5 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:26
S38	259	(closure or cap or cover or lid) and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:53
S39	162	chord and "215"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:53
S40	508	chord and "220"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:53
S41	367	(closure or cap or cover or lid) and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 12:54
S42	114	((positive near4 (orientation or position\$4)) same (closure or cap or lid or cover)) and (stop near4 wall)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 13:06
S43	2	chord and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 13:06
S44	79	("2423582"   "2532729"   "2684168"   "2827193"   "3741421"   "4053077"   "4093096").PN. OR ("4289248").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 13:14

						<u> </u>
S45	0	2004/0016714	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:46
S46	0	(2004/0016714).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 13:47
S47	2	("20040016714").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 13:47
548	18	("3809276"   "3917097"   "4204615"   "4335823"   "4376497"   "4572385"   "4630743"   "4756435"   "4781311"   "5111967"   "5145080"   "5158206"). PN. OR ("5279434").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 14:21
S49	2561	(container or bottle or jar or receptacle) same neck same (slope\$3 or sloping)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:25
S50	24	(container or bottle or jar or receptacle) same neck same ((slope\$3 or sloping) near4 collar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 14:25
S51	5	("3425589").URPN.	USPAT	OR	ON	2005/08/04 14:26
S52	29	("0015802"   "0040338"   "0058281"   "0073680"   "0564878"   "3092281"   "3425589"   "3434615"   "3871545"   "3905509"   "4106654"   "4941580"   "Re06613").PN. OR ("5174460"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 14:29
S53	594	(215/44-45).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 14:30
S54	2	("6409034").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 15:34
S55	32	("4482070"   "4487324"   "4519517"   "4696408"   "4717033"   "4782964"   "4921113"   "5069367"   "5083671"   "5094361"   "5096077"   "5141138"). PN. OR ("5392938").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 15:46

S56	15	(("5,863,145") or ("4,597,501") or ("4, 273,248") or ("2,046,228") or ("2,413, 284")).PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 15:46
S57	56	("3110410"   "3339773"   "3831797"   "3951289"   "4036385"   "4098419"   "4127221"   "4134513"   "4273248"   "4280632"   "4310101"   "4365721"   "4454965"   "4456136"   "4763801"   "4799597"   "4913299"   "4940168"   "4991733").PN. OR ("5145080").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 15:58
S58	16	("3857508"   "3891110").PN. OR ("3954200").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 16:03
S59	30	("3101856").URPN.	USPAT	OR	ON	2005/08/04 16:04
S60	30	("3101856"   "3472409"   "3744655"). PN. OR ("3902620").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 16:05
S61	21	("3101856"   "3472409"   "3700133"). PN. OR ("3881625").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 16:07
S62	33	("4487324"   "4519517"   "4638916"   "4696408"   "4759455"   "4782964"   "4911324"   "5069367"   "5094361"   "5141138").PN. OR ("5386918").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 16:10
S63	21	("4402415"   "4666063"   "4884705"   "4940167"   "4998988"   "5007546"). PN. OR ("5203838").URPN.	US-PGPUB; USPAT; USOCR	OR .	ON	2005/08/04 16:18
S64	48	("1727938"   "2476155"   "2628735"   "2659510"   "2716504"   "2847139"   "3064844"   "3315830"   "3425579"   "3581926"   "3667642"   "3815776"   "3973941"   "4093096").PN. OR ("4273248").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/04 16:23
S65	_ 2	("5271536").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/08/04 16:36
S66	3516420	dovetail (closure or cap or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:54
S67	5152	dovetail same (closure or cap or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:54

		<u> </u>				<del></del>
S68	523	((rib or projection or protrusion or nib) near8 dovetail) same (closure or cap or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:55
S69	175	((rib or projection or protrusion or nib) near8 dovetail) with (closure or cap or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 17:58
S70	205	((rib or projection or protrusion or nib) near8 dovetail\$3) with (closure or cap or cover)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 18:35
S71	86	((rib or projection or protrusion or nib) near8 dovetail\$3) with (closure or cap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 18:07
S72	119	S70 not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 18:07
S73	146	S70 not (seal or gasket or elastomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 18:35
S74	0	("2868415").URPN.	USPAT	OR	ON	2005/08/04 18:46
S75	7	((rib or projection or protrusion or nib) near8 dovetail\$3) with torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 19:16
S76	58	((rib or projection or protrusion or nib) near8 dovetail\$3) same torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 19:20
S77	809	((rib or projection or protrusion or nib) near8 dovetail\$3) same (rotate\$3 or rotati\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 19:20
S78	186	(closure or cap) and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/04 19:20

S79	90	(closure or cap) same S77	US-PGPUB;	OR	ON	2005/08/04 19:20
			USPAT;			
			USOCR;			
			EPO; JPO;			
			DERWENT			